




NOTE:
SIZE OF BASIN TO BE DETERMINED
BY VOLUME REQUIRED; HOWEVER
A MINIMUM LENGTH-TO-WIDTH
RATIO OF 2:1 SHALL BE USED.




SEDIMENT BASIN WITH RIPRAP OUTLET (E-9)



NOTE:
SIZE OF BASIN TO BE DETERMINED
BY VOLUME REQUIRED; HOWEVER
A MINIMUM LENGTH-TO-WIDTH
RATIO OF 2:1 SHALL BE USED.




SEDIMENT BASIN WITH PIPE OUTLET (E-10)




DIVERSION DITCH (E-8)

NOTE:
A T-SECTION SHALL BE USED AT THE INLET
FOR TWO-DIRECTIONAL FLOW,
AN ELBOW SHALL BE USED FOR
ONE-DIRECTIONAL FLOW.




PLAN VIEW




PROFILE VIEW

SLOPE DRAIN (E-12)



PLAN VIEW



PROFILE

SEDIMENT BASIN (E-14)

ARKANSAS STATE HIGHWAY COMMISSION

TEMPORARY EROSION
CONTROL DEVICES

STANDARD DRAWING TEC-2 (M)



1-20-95	CONVERTED TO METRIC	DATE	BY	CHKD